#### **CB901-1A** 2.3 in [58 mm] 2 Pin MIL to 2 Pin MIL In-Line Feed Thru **Stainless Steel** Ø0.9 in [23 mm] **CB902-1A** 2.3 in [58 mm] 3 Pin MIL to 3 Pin MIL In-Line Feed Thru **Stainless Steel** Stock Produc Ø0.9 in [23 mm] **CB903-1A** 7/8 in HEX 7/8 in HEX 2.2 in [56 mm] [22 mm HEX] 2 Pin MIL to 2 Pin MIL **Bulk Head Feed Thru,** 1/2" NPT 00 00 **Stainless Steel** Product **CB904-1A** 7/8 in HEX [22 mm HEX] 2.0 in [51 mm] 2 Pin MIL to BNC Jack 1/2 in NPT **Bulk Head Feed Thru,** 1/2" NPT 00 **Stainless Steel with Plated Brass CB905-1A** 7/8 in HEX [22 mm HEX] 7/8 in HEX [22 mm HEX] 2.2 in [56 mm] 3 Pin MIL to 3 Pin MIL **Bulk Head Feed Thru,** 00 1/2" NPT **Stainless Steel CB906-1A** 6.5 in [165 mm] 7/8 in HEX [22 mm HEX] 2 Pin MIL to BNC **Jack Feed Thru with** 1/2" Pipe Thread Adapter Stainless Steel, Polyurethane, and Plated Brass **CB906-1B** 167.0 mm]

2 Pin MIL to BNC

1/2" Pipe Thread

Adapter
Stainless Steel,
Polyurethane,
and Plated Brass

**Plug Feed Thru with** 



7/8 in HEX

1.65 in

4.00 in

[101.6 mm]

0.93 in

#### **CB907-1A**



BNC Plug to Binding Post Adapter for Stripped Cable Ends





**CB908-1A** 



2 Pin MIL to BNC Plug Adapter, with Molded Reinforcement



**CB909-1A** 



2 Pin MIL to BNC Jack Adapter, with Molded Reinforcement




**CB910-1A** 





In-Line BNC Jack Adapter Plated Brass




**CB910-2A** 





BNC Jack Bulk Head Adapter Nylon/Plated Brass




**CB911-1A** 



Stock Product

**BNC Tee Adapter** Plated Brass




**CB911-3A** 






In-Line BNC
Plug Adapter
Plated Brass







### **CB918-1A**



2 Socket MIL **Seal-Tight Boot** Connector to **BNC Plug** 



#### **CB919-1A**






90° Adapter for **BNC Plug to BNC Jack Plated Brass** 








1 Inch NPT Adapter with 2 Socket MIL Connector and 24 Inches (.61 meters) of Class I, Division 2 Rated Cable to Flying Leads








3/4 Inch NPT Adapter with **2 Socket MIL Connector** and 24 Inches (.61 meters) of Class I, Division 2 Rated Cable to Flying Leads



**CB922-3A** 



1/2 Inch NPT Adapter with **2 Socket MIL Connector** and 24 Inches (.61 meters) of Class I, Division 2 Rated **Cable to Flying Leads** 




#### **CB924-1A**





4 Pin mini-MIL to 4 Pin mini-MIL Adapter **In-Line Feedthrough** Stainless Steel



#### **CB936-1A**





**SMB to BNC Adapter** 



#### **CB936-2A**





**SMB to BNC Dongle** 



### **CB937-1A**





4 Pin mini-MIL to 4 Pin mini-MIL **Bulkhead Feedthrough,** 1/2" NPT

**Stainless Steel** 



