

# CMX2001

SKF Microlog CMXA Series Compatible, 6 Pin Circular Adapter to BNC "F" Plug with 1" Cable Between Connectors, Single Channel Acceleration Input



## Specification

Jacket Material	Polyurathane
Cable Length	1"
Connectors	6 Pin Circular Connector, BNC Plug (Male)
Input	Single Channel Acceleration

## Compatible Data Collectors

SKF Microlog CMXA Series

Built to Order

Backed by our Unconditional Lifetime Warranty

[www.ctconline.com](http://www.ctconline.com) | [sales@ctconline.com](mailto:sales@ctconline.com) | 585-924-5900

# CMX2502

2 Pin MIL-Style Connector to TNC Jack Connector, 0.5' (15.24 cm)  
Cable Length



VIBRATION ANALYSIS HARDWARE



## Specification

Jacket Material	Polyurethane
Cable Length	0.5 ft (15.24 cm)
Connectors	2 Pin MIL-Style, TNC Jack

Built to Order

Backed by our Unconditional Lifetime Warranty  
[www.ctconline.com](http://www.ctconline.com) | [sales@ctconline.com](mailto:sales@ctconline.com) | 585-924-5900

# CMX2503

3 Pin MIL-Style Connector to 2 Socket Cable Adapter, 0.5' (15.24 cm) Cable Length



VIBRATION ANALYSIS HARDWARE



## Specification

Jacket Material	Black Polyurethane
Cable Length	0.5 feet
Connectors	3 pin MIL-Style, 2 Socket Cable Adapter
Input	Dual Acceleration IEPE
Cable Diameter	0.250"
Conductor Cable	2 conductor

## Compatible Data Collectors

01dB Movipak only

## Ratings & Certifications

**RoHS**

Stock Product

Backed by our Unconditional Lifetime Warranty

[www.ctconline.com](http://www.ctconline.com) | [sales@ctconline.com](mailto:sales@ctconline.com) | 585-924-5900